

**BULLETIN OF THE
ALLAHABAD MATHEMATICAL SOCIETY**

Vol. 10-11, 1995-96

CONTENTS

P. K. Benerji and Kuldeep S. Gehlot

A REAL INVERSION FORMULA FOR THE GENERALIZED STIELTJES
TRANSFORM ON THE SPACE $F_{p,\mu}$ 1-5

Abstract: The paper aims at the extension of a generalized Stieltjes transform to a class of generalized function on the space $F_{p,\mu}$, establishing the *GST* as a particular case of convolution transform and obtaining a real inversion formula for the *GST*.

A. K. Chaudhuri and R. N. Mukherjee

APPLICATION OF FUNCTIONAL ANALYSIS TO SOLVE CERTAIN CLASS
OF CONSTRAINED TIME OPTIMAL CONTROL PROBLEMS (II) 7-27

U. C. De and B. K. De

ON GENERALIZED PSEUDO RICCI SYMMETRIC k -CONTACT
MANIFOLDS 29-36

Abstract: The object of this paper is to study a k -contact manifold which is generalized pseudo Ricci symmetric manifold.

S. S. Dragomir and B. Mond

A REFINEMENT OF JENSEN'S DISCRETE INEQUALITY FOR
LOG-CONVEX MAPPINGS AND APPLICATIONS 37-67

Abstract: Some new inequalities of Jensen's type for log-convex mappings and applications are given.

R. D. Giri and V. G. Bujade

COMMUTATIVE PROPERTY IN SEMI-PRIME RINGS 69-71

Abstract: A semi-prime ring can be made to yield commutativity if (i) $[xyx, yxy] = 0$ or (ii) $[[(xyx)^p, (yxy)^q], (xyx)^r] = 0$, hold for all x, y in R and positive integers p, q, r .

B. S. Komal and R. S. Pathania

COMPACT MULTIPLICATION OPERATORS ON A SPACE OF OPERATORS 73-77

Abstract: A characterization of multiplication operators on a space of operators is obtained. The class of all multiplication operators acting on a space of operators is a Banach space and no non-zero multiplication operator is compact.

Shigeyoshi Owa, Mamoru Nunokawa and Hitoshi Saitoh

CRITERIA FOR MULTIVALENT FUNCTIONS 79-84

Abstract: The object of the present paper is to derive some sufficient conditions for certain multivalent functions in the open unit disk.

Wei Wu

BIFURCATIONS FROM LOCAL STEADY-STATES TO GLOBAL DYNAMICS 85-94

Abstract: A survey is given for some recent developments on bifurcations from local steady-states to global dynamics governed by nonlinear ODE's with a Z_2 -symmetry. In particular, we are mainly concerned with a double singular point which is a steady-state possessing a Jacobian with two zero eigenvalues. There exist, under suitable conditions, Hopf points and heteroclinic cycles bifurcating from the double singular point.
