CONTENTS

Abstract: The notion of Gelfand–Naimark dual is described in the context of noncommutative geometry.

Abstract: We introduce a stronger form of the so called "union" axiom in merotopic spaces. We explore to what extent this property is preserved by the categorical constructions in **Mer**, the category of merotopic spaces. Finally, we relate this class of spaces to the epireflective hull of the topological spaces in the category of nearness spaces.

Abstract: Explicit formulas for the ranks of Triangular numbers which are simultaneously equal to Pentagonal, Octagonal, Decagonal and Dodecagonal numbers in turn are presented.

A. Aliouche and B. Fisher

A FIXED POINT THEOREM FOR TWO SET VALUED MAPPINGS ON
TWO COMPLETE METRIC SPACES   31-40

Abstract: A fixed point theorem for two set valued mappings on two complete metric spaces is obtained.

Ismat Beg

FUSSY MULTIVALUED FUNCTIONS   41-104

I. Franjić and J. Pečarić

ON CORRECTED BULLEN-SIMPSON'S INEQUALITY   105-123

Abstract: The aim of this paper is to derive corrected Bullen-Simpson's inequality, starting from corrected Simpson's and dual corrected Simpson's formula. By corrected we mean formulae that approximate the integral not only with the values of the function in certain points but also with the value of the first derivative in end points of the interval. These formulae will have a higher degree of exactness than formulae derived in [3].

N. Ahmed, D. Sarma and D. P. Barua

THREE DIMENSIONAL FREE CONVECTIVE FLOW AND MASS
TRANSFER ALONG A POROUS VERTICAL PLATE   125-141

Abstract: The problem of three-dimensional free convective mass transfer flow of an incompressible viscous fluid along a vertical porous plate with transverse sinusoidal suction velocity distribution and uniform free stream velocity is investigated. The governing equations are solved by regular perturbation technique. The expressions for the velocity field, the wall shear stress in the

direction of the main flow and the rate of heat transfer and mass transfer from the plate to the fluid are obtained and some of them are demonstrated in graphs for different values of the parameters involved.

****